

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/DK05/000117

International filing date: 22 February 2005 (22.02.2005)

Document type: Certified copy of priority document

Document details: Country/Office: DK
Number: PA 2004 00282
Filing date: 23 February 2004 (23.02.2004)

Date of receipt at the International Bureau: 15 March 2005 (15.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



Kongeriget Danmark

Patent application No.: PA 2004 00282
Date of filing: 23 February 2004
Applicant: Novozymes A/S
(Name and address) Krogshøjvej 36
DK-2880 Bagsværd
Denmark

Title: Meat based food product comprising lactobionic acid

IPC: -

This is to certify that the attached documents are exact copies of the above mentioned patent application as originally filed.



Patent- og Varemærkestyrelsen
Økonomi- og Erhvervsministeriet

03 March 2005

Susanne Morsing
Susanne Morsing

MEAT BASED FOOD PRODUCT COMPRISING LACTOBIONIC ACID

TECHNICAL FIELD

- 5 The present invention relates to a meat based food product comprising lactobionic acid and a method for preparing the food product.

BACKGROUND OF THE INVENTION

- 10 When freezing and thawing meat products, as well as when cooking meat products, water tends to be lost resulting in decreased yield and decreased water content of the meat product. Meat products are often marinated or pickled before cooking or freezing in order to improve taste and tenderness, and it is known that addition of e.g. starch or milk proteins to the marinade may decrease the loss upon cooking. EP 0354262 discloses a method for marinating or pickling a meat product comprising treatment with a marinade or pickling medium containing modified starch to decrease the water loss upon cooking.
- 15

It is an object of the present invention to provide a meat based food product, which has a reduced loss of water when thawed after freezing and/or when cooked.

20

SUMMARY OF THE INVENTION

- The inventors have found that when lactobionic acid is included in a meat based product the water loss upon freezing and subsequent thawing and/or upon cooking is reduced compared to a meat based product not including lactobionic acid.
- 25

- The invention thus relates in a first aspect to a method for producing a food product comprising: a) contacting meat with lactobionic acid; and b) producing a food product from the meat contacted with lactobionic acid. In a second aspect the invention relates to a meat based food product, and in a further aspect to use of lactobionic acid for producing a meat based food product.
- 30

DETAILED DESCRIPTION OF THE INVENTION

- 35 A food product according to the invention is any product suitable for use as food for humans or animals. In one embodiment of the invention a food product is a pet food product or a feed product for feeding animals. In another embodiment a food product is a snack product.

Lactobionic acid

Lactobionic acid (4-O-beta-D-galactopyranosyl-D-gluconic acid) according to the invention may be from any source known in the art. Lactobionic acid may e.g. be produced by oxidation of lactose. Oxidation of lactose may e.g. be achieved enzymatically by an enzyme capable of

5 oxidising lactose to lactobionic acid, an example of such an enzyme is the carbohydrate oxidase disclosed in WO 9931990. Lactose to be oxidised to lactobionic acid may e.g. be derived from milk, whey, or permeate from ultrafiltration of e.g. milk or whey. If lactose is derived from milk, whey, or permeate it may be further purified, or oxidised directly in the milk, whey, or permeate. If lactose is oxidised directly in milk, whey, or permeate, the resulting milk,

10 whey, or permeate with lactobionic acid may be used as is for producing a meat based food product or the lactobionic acid may be purified before use. Lactobionic acid may be used directly as its free acid or it may be neutralised e.g. with sodium, calcium, magnesium, or potassium hydroxide to achieve a desired pH of the lactobionic acid preparation. Lactobionic acid may also be used as a salt, e.g. as a sodium, potassium, magnesium, or calcium salt.

15 Lactobionic acid or salts of lactobionic acid may be used in pure form or may be dissolved in an aqueous liquid before use.

The amount of lactobionic acid in the final meat based food product may be any amount suitable to achieve the desired effect on water loss upon freezing and subsequent thawing and/or

20 upon cooking. In one embodiment of the invention the amount of lactobionic acid is sufficient to reduce the water loss upon freezing and subsequent thawing of the meat based food product compared to the water loss of a similar food product prepared without lactobionic acid. The water loss upon freezing and subsequent thawing of the meat based food product may e.g. be reduced by 2% or more, such as by 5% or more, by 10% or more, or by 15% or more,

25 compared to the water loss of a similar food product prepared without lactobionic acid. In another embodiment the amount of lactobionic acid is sufficient to reduce the water loss upon cooking of the meat based food product compared to the water loss of a similar food product prepared without lactobionic acid. The amount of lactobionic acid will usually be in the range 0.1-20% (weight/weight), such as 0.2-10%, or 0.5-5%, of the finished meat based food product.

30

Meat

Meat according to the invention is any kind of tissue derived from any kind of animal. Meat according to the invention may be tissue comprising muscle fibres derived from an animal.

35 Meat may e.g. be whole animal muscle or pieces of meat cut from animal muscle. Additionally meat according to the invention may be inner organs of an animal, such as e.g. heart, liver, kidney, spleen, thymus, and brain. Meat may be ground or minced or cut into smaller pieces

by any other appropriate way known in the art. Meat according to the invention may be derived from any kind of animal, e.g. from cow, pig, lamb, sheep, goat, chicken, hen, turkey, ostrich, pheasant, deer, elk, reindeer, buffalo, bison, antelope, camel, kangaroo; any kind of fish, e.g. sprat, cod, haddock, tuna, sea eel, salmon, herring, sardine, mackerel, horse mackerel, saury, round herring, pollack, flatfish, anchovy, pilchard, blue whiting, pacific whiting, trout, catfish, bass, capelin, marlin, red snapper, Norway pout and/or hake; any kind of shellfish, such as e.g. clam, mussel, scallop, cockle, periwinkle, snail, oyster, shrimp, lobster, langoustine, crab, crayfish, cuttlefish, squid, and/or octopus. In one embodiment of the invention the meat is beef, pork, chicken, and/or turkey. In another embodiment the meat is fish meat.

A meat based food product according to the invention is any food product based on meat. A meat based food product may comprise non-meat ingredients such as e.g. water, salt, flour, milk protein, vegetable protein, starch, hydrolysed protein, phosphate, acid, and/or spices. Meat may account for e.g. 30-100 % (weight/weight), such as 50-100%, 60-100%, or 70-100%, of a meat based food product.

In one embodiment a meat based product is a processed meat product, such as e.g. a sausage, meat loaf, comminuted meat product, ground meat, bacon, polony, salami, or pate. A processed meat product may further comprise e.g. salts, spices, milk protein, vegetable ingredients, colouring agents, and/or texturising agents. A processed meat product may e.g. be an emulsified meat product, manufactured from a meat based emulsion. The meat based emulsion may be cooked or baked, e.g. in a baking form or after being filled into casing of e.g. plastic, collagen, cellulose, or natural casing. A processed meat product may also be a restructured meat product, such as e.g. restructured ham. A meat product of the invention may undergo processing steps such as e.g. curing, drying, smoking, fermentation, cooking, slicing, and/or shredding.

Method for producing a meat based food product

A meat based food product comprising lactobionic acid may be produced by contacting meat with lactobionic acid and producing a meat based food product from the treated meat. The meat will usually be raw when being contacted with lactobionic acid, but may also e.g. be heat treated, precooked, or irradiated before contact with lactobionic acid. The meat may also have been frozen before contact with lactobionic acid. Contacting meat with lactobionic acid may be done by adding lactobionic acid to meat. Contacting meat with lactobionic acid may be achieved by mixing meat, e.g. pieces of meat, minced meat, or a meat based emulsion, with lactobionic acid and, where applicable, other ingredients used to form the meat based food product by any method known in the art. Before contact with the meat, lactobionic acid

may be mixed with other ingredients, e.g. to form a marinade or pickling liquid, such as e.g. water, salt, flour, milk protein, vegetable protein, starch, hydrolysed protein, phosphate, acid, and/or spices. The amount of lactobionic acid in a marinade may be adjusted as to achieve the desired final amount of lactobionic acid in the meat based food product. Contacting meat, e.g. whole animal muscle or pieces of animal muscle, with lactobionic acid may be achieved by marinating and/or tumbling the meat with a marinade comprising lactobionic acid. If the meat product is a processed meat product, e.g. an emulsified meat product, lactobionic acid may e.g. be mixed into a meat based emulsion, or into any other form of meat based mixture used to form the processed meat product. In one embodiment of the invention lactobionic acid is added to a marinade or a pickling liquid. Lactobionic acid may be added to meat by injection and/or pumping of a liquid comprising lactobionic acid into the meat by any method known in the art for injecting and/or pumping a liquid into meat. A meat based food product of the invention may be pieces of meat that have been contacted with lactobionic acid and packed.

15

In one embodiment of the invention the meat based food product is frozen after contacting meat with lactobionic acid. The meat product may be frozen at any temperature below 0°C, such as between -1 and -80°C, between -5 and -50°C, or between -10 and -35°C.

20

A meat based food product according to the invention may be cooked after contacting meat with lactobionic acid. Cooking may be done by any method known in the art such as e.g. in boiling water, in an oven, by microwave heating, by grilling, by pressure cooking, by retorting packed in cans, and/or by frying. In one embodiment of the invention the meat based food product is heated, e.g. to 50-140°C, such as 60-120°C, 60-100°C, or 70-100°C.

25

In one embodiment of the invention a meat based food product is a processed fish product. A processed fish product may e.g. be fish filet or shellfish that has been contacted with an aqueous solution of lactobionic acid and packed. Shellfish will often be cooked before or after contact with lactobionic acid, before being packed. Processed fish products will often be frozen after contact with lactobionic acid. A processed fish product may also be smoked fish.

30

In one embodiment of the invention a processed fish product is surimi. Surimi is a food product produced from fish meat by washing out soluble components of the fish meat and adding stabilising ingredients. Surimi may e.g. be used to produce fish cake, fish pudding, fish balls, and shellfish analogs e.g. crab sticks. Surimi is usually produced from lean white-fleshed fish, e.g. pacific whiting, pollack, croaker, lizardfish, pike, conger, or New Zealand Hokl, which are washed, headed, eviscerated, filleted and minced. The minced meat is washed repeatedly

35

with fresh water and may undergo a dehydration step, e.g. using screw presses. Additives may be included for stabilisation, flavour, and texture regulation, e.g. sugars, sorbitol, starch, polydextrose, egg white, whey protein, soy protein, vegetable oil, shellfish extract, shellfish flavour, phosphate, salt, seasoning, water, and/or protease inhibitors. Lactobionic acid will usually be added in the same manner and at the same process step as stabilisers and other additives are usually added to surimi in a conventional process. The products may be formed as desired, e.g. to resemble crab, shrimp, or lobster meal. Additionally a heating step may be included to facilitate gelatination. Colorants, e.g. carmine, caramel, paprika, or annato extract, may be added to create the desired appearance of the product.

A meat based food product of the invention may be used for direct consumption or it may undergo further processing before consumption. A meat based food product of the invention may be used as raw material or ingredient for production of other food products.

EXAMPLES

Example 1

Drip loss of meat product upon freezing and thawing

Raw materials:

Chopped, lean pork meat.

WPC: Lacprodan 80, whey protein concentrate with 80% protein in dry matter (Arla Foods, Denmark).

WPP: whey permeate powder containing 83% lactose (EPI, France).

Ca-LBA-WPP: Lactose oxidase treated whey permeate powder adjusted to pH 6.52 with $\text{Ca}(\text{OH})_2$. The product was produced by enzymatic catalysed oxidation of whey permeate powder. The whey permeate powder was dissolved as 6% powder in water and lactose oxidase was added. Temperature during reaction was 49°C and the liquid was recirculated by pumping to assure air in the mixture. pH was 6.5 before enzyme addition and reduced to 3.7 when the reaction was terminated by heating to 85°C. The liquid was concentrated by evaporation and pH adjusted to 6.52 by addition of $\text{Ca}(\text{OH})_2$. The process had converted 41% of the lactose to lactobionic acid.

Marinade compositions:

Marinade number	1	2	3	4	5
Ingredients (% weight/weight):					
Water	85.4	85.4	88.4	88.4	96.4

WPC	3	3	0	0	0
WPP	8	0	8	0	0
Ca-LBA-WPP	0	8	0	8	0
NaCl	3.6	3.6	3.6	3.6	3.6

All marinades were pH adjusted to pH 6.05.

- 25 g of the respective marinades was added to 75 g of meat and mixed for 5 minutes. The samples were filled in plastic bags, shaped identically, and frozen overnight. Next day all samples were placed in a refrigerator overnight for thawing, and on the following day corners were cut of the plastic bags and expelled liquid collected and weighed.

Results:

Marinade used	Drip loss (g liquid expelled)		
	Sample 1	Sample 2	Average
1	7.73	8.15	7.94
2	7.23	5.59	6.41
3	8.67	7.72	8.19
4	6.15	6.27	6.21
5	11.87	11.44	11.66

- 10 Meat products formed using marinades 2 and 4 comprising lactobionic acid showed the lowest drip loss upon freezing and subsequent thawing.

CLAIMS

1. A method for producing a food product comprising:
 - a) contacting meat with lactobionic acid; and
 - 5 b) producing a food product from the meat contacted with lactobionic acid
2. The method of claim 1 comprising mixing minced meat with lactobionic acid
3. The method of claim 1 comprising treating pieces of meat with lactobionic acid
- 10 4. The method of claim 1 comprising tumbling meat with lactobionic acid
5. The method of claim 1 comprising marinating meat with lactobionic acid
- 15 6. The method of any of the preceding claims comprising freezing the food product.
7. The method of any of the preceding claims comprising heating the food product.
8. The method of any of the preceding claims wherein the meat is fish meat.
- 20 9. The method of claim 8 wherein the food product is surimi.
10. The method of any of the claims 1-8 wherein the food product is an emulsified meat product.
- 25 11. The method of any of the claims 1-7 and 10 wherein the meat is from beef, pork, chicken, and/or turkey.
12. The method of any of the preceding claims wherein the lactobionic acid is in the form of
- 30 sodium, potassium, magnesium, or calcium lactobionate.
13. The method of any of the preceding claims wherein the lactobionic acid is produced by enzymatic oxidation of lactose.
- 35 14. A meat based food product comprising lactobionic acid.

15. The food product of claim 14 wherein the amount of lactobionic acid is between 0.1 and 20 % (weight/weight) of the food product.

16. Use of lactobionic acid for producing a meat based food product.

Abstract

The inventor has found that a meat based food product comprising lactobionic acid shows a reduced water loss upon freezing and subsequent thawing and/or upon cooking compared to a similar product without lactobionic acid.

From the INTERNATIONAL BUREAU

PCTNOTIFICATION CONCERNING
SUBMISSION OR TRANSMITTAL
OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

To:

NOVOZYMES A/S
Patents
Krogshoejvej 36
DK-2880 Bagsvaerd
DANEMARK

Date of mailing (day/month/year) 17 March 2005 (17.03.2005)	
Applicant's or agent's file reference 10578.204-WO	IMPORTANT NOTIFICATION
International application No. PCT/DK05/000117	International filing date (day/month/year) 22 February 2005 (22.02.2005)
International publication date (day/month/year)	Priority date (day/month/year) 23 February 2004 (23.02.2004)
Applicant NOVOZYMES A/S et al	

- By means of this Form, which replaces any previously issued notification concerning submission or transmittal of priority documents, the applicant is hereby notified of the date of receipt by the International Bureau of the priority document(s) relating to all earlier application(s) whose priority is claimed. Unless otherwise indicated by the letters "NR", in the right-hand column or by an asterisk appearing next to a date of receipt, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- (If applicable)* The letters "NR" appearing in the right-hand column denote a priority document which, on the date of mailing of this Form, had not yet been received by the International Bureau under Rule 17.1(a) or (b). Where, under Rule 17.1(a), the priority document must be submitted by the applicant to the receiving Office or the International Bureau, but the applicant fails to submit the priority document within the applicable time limit under that Rule, **the attention of the applicant is directed** to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- (If applicable)* An asterisk (*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b) (the priority document was received after the time limit prescribed in Rule 17.1(a) or the request to prepare and transmit the priority document was submitted to the receiving Office after the applicable time limit under Rule 17.1(b)). Even though the priority document was not furnished in compliance with Rule 17.1(a) or (b), the International Bureau will nevertheless transmit a copy of the document to the designated Offices, for their consideration. In case such a copy is not accepted by the designated Office as the priority document, Rule 17.1(c) provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

<u>Priority date</u>	<u>Priority application No.</u>	<u>Country or regional Office or PCT receiving Office</u>	<u>Date of receipt of priority document</u>
23 February 2004 (23.02.2004)	PA 2004 00282	DK	15 March 2005 (15.03.2005)

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Authorized officer

Olaiz Alicia

Facsimile No. +41 22 740 14 35

Facsimile No. +41 22 338 71 30

Telephone No. +41 22 338 9288